

743

N91 - 17056

FLIGHT ELEMENTS

SPACE TRANSPORTATION AVIONICS

TECHNOLOGY SYMPOSIUM

FLIGHT ELEMENTS SUBPANEL

SUMMARY OF FINDINGS

CLAUDE R. KECKLER

NOVEMBER 9, 1989

FLIGHT ELEMENTS

- ADVANCED AVIONICS ARCHITECTURE
 - ADVANCED SENSORS & INSTRUMENTATION
- ADVANCED PROCESSORS
 - FAULT DETECTION & FAULT MANAGEMENT
- INTEGRATED GPS/GN&C
 - ADVANCED ELECTRICAL POWER DIST. & CONTROL
- ADVANCED DISPLAYS & CONTROLS
 - EMA/POWER SYSTEMS
- ADVANCED COMMUNICATION & TELEMETRY
 - INFLIGHT CREW TRAINING

MISSIONS

	STS	HLLV	TV	LMI
AAS	✓	✓		
LOWER OPS COST		✓	✓	✓
LIFE/RELIABILITY		✓	✓	✓
AUTONOMY		✓	✓	✓
S/W	✓	✓	✓	✓

AAS

LOWER OPS
COST

LIFE/RELIABILITY

AUTONOMY

S/W


NEEDS

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS

ADVANCED AVIONICS SYSTEMS ARCHITECTURES

NOVEMBER 1989

Advanced Information Processing System



Features:
 ADA Operating System
 Fault-Tolerant Distributed Processing Sites
 Fault-Tolerant Inter-computer Network
 Appropriate Function Reliability
 Low Fault Tolerance Overhead
 Growth Capability
 Redundancy Transparent to User

Major Goals and Objectives:

- Improved Reliability at Lower Cost
- Low Recurring Hardware and Operations Cost
- Enable/Support Launch-On-Demand
- Open-Ended Architectures that Support System Growth and Change
- Vehicle-Wide Standardization of Architectural Concepts
- Autonomous, Factory-To-Flight Subsystem Integrity and Confirmation
- Enable/Support Autonomous Long Duration/Distance Flight Operations
- Flexible/Secure Interfaces for Payload and Other Non-Avionics System Support
- Autonomous Pre-Flight System Support and Test

Key Contacts:

JSC - Tom Barry, Tom Morre	BAC - D. Johnson
LaRC - C. Meissner, F. Phis	CSDL - J. Lala
LeRC - H. Wimmer	GD - J. Karas
MSFC - W. Chubb, W. Brantley	HI - J. Weyrauch
WDRC - J. Stanley, R. Bortner	RIC - L. Shockley
JPL - D. Rennels	MMC - R. Gates

Facilities

- JSC Avionics Eng. Lab
- MSFC Avionics Productivity Center
- LaRC AIRLAB

Major Milestones (1990-1995):

TECHNOLOGY DEMO'S IN WORK:

- MPRAS
- Common Module Military Aircraft Flight Tests

RECOMMENDED DEMOS:

- Define System Goals and P31 Planning (90 and 91)
- Joint Lab Demo's at MSFC/JSC with FLT Test at Ames (92 and 93)
- Insertion on Combined STS and Shuttle-C Upgrades

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM

FLIGHT ELEMENTS

ADVANCED AVIONICS SYSTEMS ARCHITECTURES

NOVEMBER 1989

Technology Issues:

- Level of Fault Tolerance
- Cost vs. Reliability
- Utility of Building-Block Architectures
- Modeling/Test Mix for Validation
- Design for Launch-With-Failures
- EME-HARD Design and Assessment
- Software Development Environment
- ADA Software for High-Bandwidth Control


Candidate Programs:

- Assured Shuttle Availability, Unmanned Orbiter
- NASP, CERV
- Shuttle-C, ALS
- Existing Launch Vehicles
- SSP, Lunar Mars Initiative

Major Accomplishments:

- Space Station Avionics Design Captures Some Objectives
- ALS Requirements and Advanced Technology Development Meets/Exceeds Objectives
- Advanced Military Aircraft in DDT&E (A-12 and ATF) Captures Objectives and Developing Usable Hardware
- Commercial aircraft fault-tolerant / distributed systems

Significant Milestones:




SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS

NOVEMBER 1989

ADVANCED AVIONICS ARCHITECTURE

ADVANCED AVIONICS CONCEPTS

EXPLOIT THE POTENTIAL SYNERGISM BETWEEN PARALLEL PROCESSING AND REDUNDANCY



MAJOR OBJECTIVES:

PROVIDE THE SYSTEM ARCHITECTURE TO ACHIEVE

- HIGH PERFORMANCE (1 TO 10 GOPS)
- RELIABILITY FOR EXTENDED MISSIONS (1,000 - 10,000 HRS)
- AUTONOMY TO ADAPT TO CHANGING SITUATIONS AND MISSION MODES
- SEAMLESS HARDWARE AND SOFTWARE TRANSITIONS BETWEEN EPOCHS
- BUILT IN - ON-LINE MODULE LEVEL VALIDATION
- OFF-LINE COMPONENT LEVEL SELF TESTABILITY
- LOW POWER, WEIGHT, AND VOLUME
- RADIATION HARDNESS

KEY CONTACTS:

- H. BENZ (LARC)
- J. DEYST (CSDL)
- T. DE YOUNG (DARPA)
- B. J. THOMAS (IBM)

MAJOR MILESTONES (1990-1995):

- CONCEPT DEFINITION 1990
- ARCHITECTURE DEFINITION 1990
- LABORATORY PROTOTYPE 1991
- BRASS BOARD PROTOTYPE 1993
- FLIGHT SYSTEM PROTOTYPE 1995

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM

FLIGHT ELEMENTS

ADVANCED AVIONICS ARCHITECTURE

NOVEMBER 1989

TECHNOLOGY ISSUES:

INTERCONNECTION TOPOLOGY

THROUGHPUT OVERHEADS

- PARALLEL COMPUTATION
- INFORMATION TRANSFER
- FAULT TOLERANCE

SOFTWARE

- OPERATING SYSTEM
- REDUNDANCY MANAGEMENT

QUANTIFIABLE PERFORMANCE AND RELIABILITY

VALIDATION METHODOLOGY

LOW POWER/SMALL FEATURE SIZE/RADIATION HARDNESS

CANDIDATE PROGRAMS:

LUNAR/MARS INITIATIVE

NASP

FUTURE AUTONOMOUS SPACECRAFT

MAJOR ACCOMPLISHMENTS:

RECOGNITION OF THE NEED FOR SUCH SYSTEMS.

SIGNIFICANT MILESTONES:

91	92	93	94
----	----	----	----

R & D BASE

93	94	95	96
----	----	----	----


ADV. DEVEL.

95	96	97	98
----	----	----	----

FLIGHT SYSTEM

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS FAULT DETECTION AND FAULT MANAGEMENT

TECHNOLOGY CONCEPT:



MAJOR OBJECTIVES:

- Monitoring, diagnosis, and reconfiguration at all system levels
- Unambiguous Isolation of failures
- Integration with maintenance support and operations
- Optimize system operations to manage degraded system performance ;
- Lower development/operations costs
- Develop fault tolerant/FDIR requirements and specifications

KEY CONTACTS:

ARC - A. Patterson-Hine Industry contacts: TBD
 JSC - J.T. Edge
 LaRC - C. Meissner
 MSFC - D. Weeks
 KSC - T. Davis
 JPL - D. Miller
 HQ - G. Swietek (OSS), J. Di Battista (OAST)

KEY FACILITIES:

JSC Testbeds
 MSFC SSM/PMAD & ECLSS Testbeds
 ARC Advanced Architectures Testbed

MAJOR MILESTONES:

- Review technology, investigate leveraging opportunities (1990)
- Define concept and develop integrated program technology development and integration plan(1990)
- Develop integrated testbed(s) (1992)
- Proof of concept demo (1993)

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS FAULT DETECTION AND FAULT MANAGEMENT

TECHNOLOGY ISSUES:

- Design accommodation of fault detection and fault management (FD/FM)
- Integrated program database support of FD/FM
- Design knowledge capture to support FD/FM
- Evolutionary, automated modeling techniques
- Scalability of current technologies
- Scope of human interface/interaction
- Software FD/FM
- Development of smart sensors and specialized processing functions with high reliability and lower power consumption
- Autonomous detection and recovery from faults

Vg li d a r


MAJOR ACCOMPLISHMENTS:

- Space Station Advanced Development Program already addressing some of the technology issues
- DARPA and ONR activities leveraged to some of the technology issues
- Basic testbeds already in place
- Core Technology Team available


CANDIDATE PROGRAMS:

- SSFP
- ALS
- Shuttle C
- Lunar/Mars missions

SIGNIFICANT MILESTONES:



ADVANCE SENSORS & INSTRUMENTATION



MAJOR OBJECTIVES		
LOW, WEIGHT, VOLUME, POWER & COST		
	CURRENT CAPABILITY	NEW REQUIREMENTS
SENSORS		
- AIR DATA		HIGH ACCURACY
- TRANSITION		HIGH SPATIAL DENSITY
- PRESSURE/TEMPERATURE		HIGH FREQUENCY
- INSTRUMENTATION		HIGH RELIABILITY
NONINTRUSIVE AIR DATA		
SMART DATA SYSTEMS		300MB/sec
ON-BOARD PROCESSING		DATA COMPRESSION
ON-BOARD COMPUTATION		DATA PRODUCTS
ON-BOARD STORAGE		> TERABIT
DATA BUS		
CHECKOUT/CALIBRATION RANGE		
POWER		
SOLID STATE LASERS		2 JOULE SOLID STATE
LIGHT WEIGHT OPTICS		
LG REFLECTORS/ANTENNAS		
SMART STRUCTURES/SERVOES		N/A
DETECTORS		
CRYSTALLOGRAPHY		20X COOLERS

KEY CONTACTS	
<p>LARC</p> <p>GLEN TAYLOR</p> <p>BRUCE CONWAY</p> <p>DON LAWRENCE</p> <p>MSFC</p> <p>JOE ZIMMERMAN</p> <p>JSC</p> <p>PAUL SOLLOCK</p> <p>MIKE GAUDIANO (EH6)</p> <p>G. HARMON (EH6)</p> <p>K. DOUGLAS (LOCKHEED)</p> <p>K. PETERSON (NOVA SENSORS)</p>	<p>88-928-1733</p> <p>88-928-4755</p> <p>88-928-5300</p> <p>88-824-3458</p> <p>88-525-8225</p> <p>88-525-8318</p>

FACILITIES	
<p>CLEAN ROOMS</p> <p>ENVIRONMENTAL CHAMBERS</p> <p>THERMO VAC CHAMBERS</p> <p>CALIBRATION</p> <p>NDE LABS</p> <p>SENSOR LABS</p> <p>ENVIRONMENTAL</p> <p>R & QA</p> <p>MICROELECTRONIC/MATERIALS</p>	<p>EMI/EMC</p> <p>CAD/CAE & ASIC</p> <p>LASER LAB</p> <p>DETECTOR LAB</p> <p>COMPUTATIONAL SUPPORT</p>

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS

ADVANCE SENSORS & INSTRUMENTATION


TECHNOLOGY ISSUES
<ul style="list-style-type: none"> O SMART SKINS - FIBEROPTIC TRANSDUCERS & TRANSMISSION LINES EMBEDDED IN ADVANCED COMPOSITES O MICRO-MACHINED TRANSDUCERS - EMPLOYING CLASSICAL SEMICONDUCTOR PROCESSING TECHNIQUES TO BUILD MECHANICAL STRUCTURES & TRANSDUCERS O SMART TRANSDUCERS - INTEGRATION OF A TRANSDUCER, SIGNAL CONDITIONERS, PROGRAMMABLE EMBEDDED MICROCONTROLLERS O ADVANCED INSTRUMENTATION - INTEGRATION OF SMART TRANSDUCERS INTO A DISTRIBUTED BUS OR FAULT TOLERANT LOCAL AREA NETWORK (LAN) O HYBRID ELECTRONICS & SURFACE MOUNT TECHNOLOGY O INTEGRATION OF DIVERSE TRANSDUCERS & SIGNAL TYPES INTO SMART TRANSDUCER MODULE O APPLICATION SPECIFIC INTEGRATED CIRCUIT (ASIC) DESIGN CAPABILITY TO MINIMIZE WEIGHT, POWER, & VOLUME PARAMETERS O SMART, MINATURE & RELIABLE DATA ACQUISITION SYSTEMS (DAS) O ON BOARD DATA PROCESSING O ON BOARD COMPUTATION O ON BOARD STORAGE O ADVANCED DATA TRANSMISSION O LASER-BASED RANGING SYSTEMS O 2 MICRON LASERS FOR EYE-SAFE AND WINDS O LIGHT WEIGHT OPTICS FOR WIND SHEAR LIDAR O CRYOGENICS - DEVELOP 20K COOLERS FOR SOLVING MOST DETECTOR PROBLEMS O LARGE REFLECTOR ANTENNAS O INVESTIGATE & DEVELOP SENSORS FOR SMART STRUCTURES O DEVELOP MORE EFFECTIVE ELECTROMAGNETIC MEASUREMENT, MODELING, INJECTION & DETECTION SENSORS

CANDIDATE PROGRAMS
<p>UPGRADE OF ORBITER MODULAR AUXILIARY DATA SYSTEM (MADS)</p> <p>UARS</p> <p>EOS</p> <p>SHUTTLE C</p> <p>SPACE STATION FREEDOM</p> <p>ELV</p> <p>MISSION TO PLANET EARTH</p> <p>MANNED MISSION TO MARS</p> <p>LUNAR BASE</p>

MAJOR ACCOMPLISHMENTS
<p>LIDAR</p> <p>OPTICAL DISK</p> <p>HIGH PRESSURE STAND ALONE PRESSURE MEASUREMENT DEVICE</p> <p>ON-BOARD COMPUTING</p>

SIGNIFICANT MILESTONES					GOALS
90	91	92	93	94	
SURFACE/STRUCTURAL SENSORS					
DETERMINE REQUIREMENTS & REVIEW TECHNOLOGY	▲	▲	▲	▲	<ul style="list-style-type: none"> O SMART SENSORS O SMART SKINS O SMART, SMALL & RELIABLE DAS O ON BOARD DATA PROCESSING O ON BOARD COMPUTATION O ON BOARD STORAGE O ADVANCED DATA TRANSMISSION O SMART STRUCTURES O LASER APPLICATIONS O DETECTORS O NDE
HEALTH MONITORING SENSORS					
DETERMINE REQUIREMENTS & REVIEW TECHNOLOGY	▲	▲	▲	▲	
FLIGHT MEASUREMENT SYSTEMS					
DETERMINE REQUIREMENTS & REVIEW TECHNOLOGY	▲	▲	▲	▲	

INTEGRATED GPS/GN&C



MAJOR OBJECTIVES

- REDUCE MAINTENANCE COSTS
- REDUCE LRU COUNT
- HIGHER MTBF
- REDUCE WEIGHT, POWER, AND VOLUME
- AVOID OBSOLESCENCE OF DELETED SYSTEMS
- REDUCE VEHICLE LAUNCH AND TURNAROUND TIME
- TESTING - CALIBRATION - ALIGNMENT
- DEVELOP COMMON MODULAR SYSTEMS FOR MULTIPLE NASA APPLICATIONS
- PROVIDE AUTONOMOUS NAVIGATION CAPABILITY
- ASCENT - ORBIT - DESCENT
- PROVIDE AUTOLAND CAPABILITY
- REDUCE GROUND SUPPORT
- PROVIDE A ATTITUDE DETERMINATION CAPABILITY
- ELIMINATE SENSORS THAT PROVIDE A ATTITUDE UPDATE

MAJOR MILESTONES

- STANDARD RLG INS AND GPS INTEGRATED SYSTEMS DELIVERED TO NAVY AND AIR FORCE
- INTEGRATED GPS/INS SYSTEMS DELIVERED FOR AF RC-135 AIRCRAFT
- INTEGRATED GPS/INS SYSTEM FOR REMOTELY PILOTED VEHICLE SUCCESSFULLY TESTED
- INS WITH EMBEDDED GPS RECEIVER IN PRODUCTION FOR CIVIL AVIATION (FOREIGN)
- HELICOPTER AND AIRCRAFT LANDING TESTS USING DIFFERENTIAL GPS SYSTEMS CONDUCTED BY NASA-AMES
- HIGH PRECISION ORBIT NAVIGATION FILTER (KALMAN) DEVELOPED BY NASA-JSC
- RELATIVE NAVIGATION CAPABILITY FOR RENDEZVOUS OPERATIONS INVOLVING TWO VEHICLES WITH GPS RECEIVERS EVALUATED BY NASA-JSC

KEY CONTACTS

PARTICIPANTS

- TOM BARRY - NASA/JSC**
JIM BLUCKER - NASA/JSC
MANNY FERNANDEZ - LITTON
THEMUKH GELDEHLOOS - HONEYWELL
SPRING HIRSCH - BOEING AEROSPACE
PENNY SAUNDERS - NASA/JSC
AL ZEITLIN - HOCKWELL/STO

SUPPLIERS

- AUTONETICS
- COLLINS
- HAMILTON STANDARD
- HONEYWELL
- LITTON
- MOTOHOLA
- NORTHROP
- RAYTHEON
- SMITH INDUSTRIES
- TEXAS INSTRUMENTS

USERS

- BOEING (ALS; E-6; AOA; AINS)
- MDAC (SPACE STATION)
- ROCKWELL (NSTS; NASP; GUNSHIP)
- NASA (NSTS; SPACE STATION; OMV; SHUTTLE C; EDO)
- AINM SERVICES (VARIOUS AIRCRAFT APPLICATIONS)
- JOINT PROGRAM OFFICE (NASP)

EACH UNIT

- NASA JSC GPS LABORATORY
- AF GEOPHYSICS LABORATORY
- JET PHOTOLUSION LABORATORY
- GPS JPO GPS STANDARD AND PRECISE POSITIONING SERVICE
- NASA AMES MOBILE DIFFERENTIAL GPS GROUND FACILITY
- OTHER GOVERNMENT AND CONTRACTOR FACILITIES
- FAA
- DARPA (GPS GMD)

INTEGRATED GPS/GN&C

TECHNOLOGY/APPLICATION ISSUES

- ACQUISITION OF TARGET VEHICLE DATA FOR AUTONOMOUS NAVIGATION DURING RENDEZVOUS, PROXIMITY, AND DOCKING OPERATIONS
COOPERATIVE TARGET
ANCHOR SATELLITE
- VEHICLE ATTITUDE DETERMINATION USING GPS
ANTENNA SEPARATION LIMITED BY VEHICLE DIMENSIONS
- TRACKING SATELLITE VEHICLE SIGNAL THROUGH PLASMA
- MEETING AUTOLAND PERFORMANCE REQUIREMENTS
ACCURACY OF ALTITUDE DATA
- GPS UTILIZATION ABOVE 11,000 NM (e.g.: LUNAR MISSION RETURN)
REDUCED SATELLITE VEHICLE VISIBILITY

CANDIDATE PROGRAMS

- ASSURED SHUTTLE AVAILABILITY (ASA)
- SHUTTLE C
- EXTENDED DURATION ORBITER (EDO)
- ASSURED CREW RETURN VEHICLE (ACRV)
- SPACE STATION
- ORBITAL MANEUVERING VEHICLE
- ADVANCED LAUNCH STAGE
- ADVANCED UPPER STAGES
- NATIONAL AERO SPACE PLANE (NASP)
- LUNAR AND MARS MISSIONS RETURN

MAJOR ACCOMPLISHMENTS


- F-15 FLIGHT TESTS DEMONSTRATE INERTIAL NAVIGATION ASSEMBLY CAPABILITY TO PROVIDE NAVIGATION AND FLIGHT CONTROL DATA - 1988
- INTEGRATED INS WITH EMBEDDED GPS FLOWN IN BOEING 767 FLIGHT TESTS PROGRAM - 1988
- FAA CERTIFICATION OF INS WITH EMBEDDED GPS - LATE 1990
- NATIONAL AERO SPACE PLANE SUBSYSTEM CONSORTIUM INVESTIGATING ANTENNA DESIGNS, ADVANCED ELECTRONICS, PLASMA TRANSMIT/RECEIVE LIMITATIONS
- SHUTTLE INTEGRATED GPS/GN&C CONCEPT AND FEASIBILITY STUDY STUDY COMPLETE - 1990
FLIGHT DEMONSTRATION - 1993
- PRELIMINARY DESIGN STUDY OF INTEGRATED GPS & INS (MSFC)
INTEGRATED AND SEPARATE INS/GPS
MODULARIZED CONFIGURATION
- LABORATORY SIMULATIONS AND EVALUATIONS
ON-ORBIT OPERATIONS
AUTONOMOUS NAVIGATION
AUTOLAND

SIGNIFICANT MILESTONES

- IMPLEMENT STANDARD, MODULAR GPS RECEIVER
COST EFFECTIVE
SUPPORTS MULTIPLE PROGRAMS
CONFIGURABLE TO SPECIFIC APPLICATION
INCLUDE TESTABILITY AS DESIGN REQUIREMENT
- CONDUCT TRADE STUDY OF TECHNIQUES TO ACCOMPLISH AUTOLAND, INCLUDING A FLIGHT DEMONSTRATION
- CONDUCT TRADE STUDY OF TECHNIQUES TO PERFORM AUTONOMOUS NAVIGATION, BY MISSION PHASE, FOR VARIOUS TRANSPORTATION PROGRAMS
ASCENT - ORBIT - REENTRY
- CONDUCT TRADE STUDY OF TECHNIQUES FOR GPS DETERMINATION OF VEHICLE ATTITUDE, INCLUDING A FLIGHT DEMONSTRATION

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS ADVANCED DISPLAYS AND CONTROLS

ADVANCED DISPLAYS & CONTROLS CONCEPTS:



MD11 COCKPIT ADVANCED COCKPIT TECHNOLOGY CONCEPT

MAJOR OBJECTIVES:

- LOWER COST, IMPROVED MAINTAINABILITY/RELIABILITY FOR SHUTTLE IN PARTICULAR, ELIMINATE PARTS/SKILLS OBSOLESCENCE
- REDUCED WEIGHT, VOLUME, AND POWER CONSUMPTION
- INHERENT GROWTH CAPABILITY FOR NEW FUNCTIONS OR ADVANCING TECHNOLOGY (I.E., PAYLOAD USER I/F)
- IMPROVEMENT IN PILOT'S SITUATIONAL AWARENESS
- REDUCTION IN PILOT'S/OPERATOR'S WORKLOAD
- IMPROVED FLIGHT SAFETY AND OPERATING EFFICIENCY
- COMMONALITY AND SOFTWARE RECONFIG. INTERFACE FOR FLEXIBILITY AND LOWER COST IN THE SUPPORT OF MULTIPLE PROGRAMS
- ELIMINATION OF PAPER/MANUAL CLUTTER THROUGH USE OF INTERACTIVE OPTICAL DISK TECHNOLOGY
- IMPROVED AUTONOMY THROUGH USE OF AI AND HUMAN-CENTERED AUTOMATION

KEY CONTACTS:

- DEAN KOCIAN/ WRIGHT R & D CENTER/ SUPERCOCKPIT PROGRAM
 - DOC DOUGHERTY/ DARPA/ PILOT'S ASSOCIATE PROGRAM
 - FRANK GOMERY/ HONEYWELL/ PHEONIX RESEARCH CENTER
 - GENE ADAM/ McDONNELL DOUGLAS/ 'BIG PICTURE' DISPLAY PROGRAM
 - ANDREW FARKAS/ JOHNSON SPACE CENTER/ EF2
 - DR. McGREY/ AMES RESEARCH CENTER/ AEROSPACE HUMAN FACTORS DIV.
 - BILL RUCKS/ ROCKWELL STSD
 - TERRY EMERSON/ WRIGHT R & D CENTER/ COCKPIT INTEGRATION DIRECTORATE
- ## FACILITIES:
- JSC/ EF2 D & C PORTION OF ADV. SYSTEMS DEVELOPMENT LAB
 - JSC/ SHUTTLE ENGINEERING SIMULATOR
 - LARC/ ADV. CONCEPTS SIMULATOR & CREW STATION SYSTEMS RESEARCH LAB
 - LARC/ TRANSPORT SYSTEMS RESEARCH VEHICLE (AFT FLT. DECK W/COLOR DISPLAYS)
 - ARC/ MAN VEHICLE SYSTEMS RESEARCH FACILITY & FLIGHT SIMULATION COMPLEX
 - WRIGHT R & D CENTER/ SUPERCOCKPIT LAB & 'MAGIC' COCKPIT FACILITY

MAJOR MILESTONES (1990 - 1995):

- SIGNIFICANT IMPROVEMENTS IN FLAT-PANEL TECHNOLOGIES
 - FULL-COLOR, SUNLIGHT-LEGIBLE LIQUID CRYSTAL DISPLAYS FY 90-91
 - FULL-COLOR PLASMA PANEL (15-IN. DIAG.), PHASE II SBIR FY 91-92
- FLIGHT-WORTHY GRAPHICS GENERATORS CAPABLE OF REAL-WORLD 3-D PICTORIAL DISPLAYS FY 91-92
- IMPROVEMENTS IN VOICE, TOUCH, AND HAND-CONTROLLER INPUT TECHNOLOGIES FY 91-92
- FINALIZED SPACE STATION MULTI-PURPOSE APPLICATIONS CONSOLE DESIGN FY 91-92
- RESULTS OF AIR FORCE SUPERCOCKPIT AND BIG PICTURE PROGRAMS FY 92-93
- RESULTS OF DARPA PILOT'S ASSOCIATE AND HDTV STUDIES FY 93-94
- RESULTS OF NASA AIRCRAFT SAFETY/AUTOMATION PROGRAM FY 93-94
- ORBITER GLASS COCKPIT DISPLAY UPGRADE FY 93-95

11-00-00

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS ADVANCED DISPLAYS AND CONTROLS

TECHNOLOGY ISSUES:

- ORBITER DOWN-TIME FOR HARDWARE INSTALLATION
- MATURITY OF FLAT-PANEL DISPLAY TECHNOLOGY
- DANGER OF MAKING CREW BORED/MACHINE MINDERS
- ADVANCED DISPLAY SYMBOLOGY/PICTORIAL FORMATS
- MATURITY AND UTILIZATION OF AI TECHNOLOGY
- GROWTH AND FLEXIBILITY
- INTERACTIVE DISPLAY/CONTROL NEEDS MORE RESEARCH
- IMPACT OF ELECTRONIC DISPLAYS & CONTROLS (ALL-GLASS COCKPIT) ON CREW TRAINING

MAJOR ACCOMPLISHMENTS:

- EMERGENCE OF SEVERAL GLASS COCKPITS IN MILITARY AND COMMERCIAL AIRCRAFT (747-400, GULFSTREAM G IV, MD11, F-15E, AND BEECH STARSHIP)
- EMERGENCE OF COLOR ACTIVE-MATRIX LCD TECHNOLOGY
- EMERGENCE OF HIGH-DEFINITION TV (HDTV) TECHNOLOGY
- EMERGENCE OF REAL-TIME GRAPHICS DISPLAY TECHNOLOGY
- EMERGENCE CONTINUOUS-SPEECH, SPEAKER-INDEPENDENT VOICE RECOGNITION TECHNOLOGY

CANDIDATE PROGRAMS:

- SPACE SHUTTLE (ASSURED SHUTTLE AVAILABILITY)
- SPACE STATION MPAC
- NATIONAL AERO-SPACE PLANE
- COMBINED AFT MANIPULATOR WORKSTATION (ORBITER)
- AVIATION SAFETY/AUTOMATION
- ADVANCED COCKPIT/FLIGHT MANAGEMENT TECHNOLOGY (PROPOSED FY 92 NEW INITIATIVE IN AERO)

SIGNIFICANT MILESTONES:

- SPACE STATION PERMANENT MANNED CAPABILITY, MPAC 1995-96
- CREW EMERGENCY RETURN VEHICLE 1997
- MANNED LUNAR MISSION 2001
- MANNED MARS MISSION 2016
- ORBITER BLOCK II COCKPIT - - - -

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM

FLIGHT ELEMENTS

ADVANCED COMMUNICATIONS AND TELEMETRY

NOVEMBER 1989

ADVANCED TECHNOLOGY :

1. GALLIUM ARSENIDE VHSIC
2. FIBER OPTICS
3. ADVANCED ANTENNA DESIGN
4. FREE SPACE OPTICAL COMMUNICATION
5. ADVANCED SIGNAL PROCESSING
6. ADVANCED MODEM / CODEC DEVELOPMENT

MAJOR OBJECTIVES:

- . UTILIZE NEW SPECTRUM
- . MAXIMIZE DATA RATE THROUGH AVAILABLE SPECTRUM
- . PROVIDE FLEXIBLE WIDEBAND DATA DISTRIBUTION NETWORKS (DDNs)
- . VERY LOW POWER CONSUMPTION
- . DENSE PACKAGING
- . RF/EM IMMUNITY
- . GRACEFUL DEGRADATION
- . MULTIBEAM ANTENNAS

KEY CONTACTS:

JSC/ K. LAND
 LARC/ R. LEONARD, J. HARROLD
 GSFC/ M. FITZMAURICE, D. DALTON
 NMSU/ F. CARDEN, S. HORAN

KEY FACILITIES:

JSC- C&T ENGINEERING LAB.
 LARC: MMW TEST FACILITY; DSP LAB.
 GSFC: LASER COM. LAB.
 NMSU- CENTER FOR SPACE TELEM. &
 TELECOM. SYSTEMS

MAJOR MILESTONES:

DARPA MIMIC PHASE I (MAY'89), PHASE II (1991-94)
 EVOLUTION OF STANDARDS
 - FDDI STANDARD
 ACTS COM SYSTEM
 32 GHz TWTA 7W 1992, 50W 1995
 "COMMON" SIGNAL PROCESSOR (CSP, GSP, EMSP, GASP)

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM

FLIGHT ELEMENTS

ADVANCED COMMUNICATIONS AND TELEMETRY

NOVEMBER 1989

TECHNOLOGY ISSUES:

1. PRODUCIBILITY OF GaAs
2. POWER LIMITS ON DISTRIBUTION
3. PACKAGING @ HIGH (> 20 GHz)
4. POINTING ACCURACY/ STABILITY
5. SOFTWARE DEVELOPMENT
6. SOFTWARE DEVELOPMENT

CANDIDATE PROGRAMS:

- SPACE STATION
- STS UPGRADES
- LUNAR MARS EXPLORATIONS
- ADRSS

MAJOR ACCOMPLISHMENTS:

- 32GHz PHASED ARRAY UNDER DEVELOPMENT
- Gbps FIBER OPTICS LINKS IN LABORATORY TEST
- VHSIC PHASE I CHIPS AVAILABLE


SIGNIFICANT MILESTONES:

- SMALLER, LIGHTER, LOWER POWER PACKAGING
- IMPROVED RELIABILITY
- STANDARDIZATION OF INTERFACES

**SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM
FLIGHT ELEMENTS
ADVANCED ELECTRICAL POWER, DISTRIBUTION AND CONTROL**

NOVEMBER 1989

ADVANCED ELECTRICAL POWER, DISTRIBUTION AND CONTROL



SPACE STATION RING DISTRIBUTION SYSTEM (EXTERNAL LOAD AREAS ONLY)

KEY CONTACTS:

H. BRANDHORST/LeRC
I. I. HANSEN/LeRC
J. MILDICE/GDSS
J. BIESS/TRW
R. BECHTEL/MSFC

FACILITIES:

LeRC POWER TECHNOLOGY TESTBED

MAJOR OBJECTIVES:

REDUCE COSTS TO LEO, LUNAR/MARS SURFACE
REDUCE WEIGHT
INCREASE AVAILABLE POWER/ENERGY
IMPROVED REDUNDANCY MANAGEMENT
IMPROVED POWER QUALITY, USER AVAILABILITY
FAULT TOLERANT, INTEGRATED BITE

MAJOR MILESTONES (1990-1995):

SPACE STATION FREEDOM

1990 ADV. DEV. TEST BED DEMOS

ADVANCED LAUNCH SYSTEM

	1990	— —	1992
ADV. DEV. DEMO OF IEPS			

CIVIL AERO-FBL/PBW	TECH. VALID.	DDT&E	FLIGHT DEMO.
1991	1993	1995	1996

LUNAR/MARS INITIATIVE

1992 ——— 1995
STUDIES ADV. DEV. PROG.

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS ADVANCED ELECTRICAL POWER, DISTRIBUTION AND CONTROL

NOVEMBER 1989

TECHNOLOGY ISSUES:

END-TO-END EPS MANAGEMENT WITH FAULT LIMITING,
RECOVERY AND FAIL SAFE/FAIL OPERATIONAL
RECONFIGURATION

DISTRIBUTED vs. DEDICATED PMAD FOR REDUNDANCY,
RELIABILITY, OPERABILITY

BITE INTEGRATED INTO DESIGN AT MANUFACTURE

ASA: DDT&E FOR ELECTRICAL ACTUATORS RETROFIT
BY INSPECTION DATE

CANDIDATE PROGRAMS:

ADVANCED LAUNCH SYSTEM

ASSURED SHUTTLE AVAILABILITY

CIVIL AERO - POWER-BY-WIRE/FLY-BY-LIGHT

LUNAR/MARS INITIATIVE

AFWRDC - MORE ELECTRIC AIRPLANE - RETROFIT F-16

DAVID TAYLOR SHIP R&DC - ELECTRONIC NAVY

MAJOR ACCOMPLISHMENTS:

- DEMONSTRATED MULTI-REDUNDANT, FAULT TOLERANT,
MICROPROCESSOR CONTROLLED SSF 20 kHz ELECTRICAL
POWER DISTRIBUTION SYSTEM

- DEMONSTRATED VARIABLE SPEED DRIVES TO 200 HP,
ELECTRICAL ACTUATORS TO 25 HP/DESIGNS TO 75 HP

SIGNIFICANT MILESTONES:

1990 R&T BASE - COMPS, POWER SEMI'S

1991 1992 ADV. DEV. - SSF, ALS

1995 DDT&E

▽ LEV. 5 MATURITY Δ

VALIDATION NEAR COMPLETE:

NSTS
NEED
DATE

LUNAR/MARS
NEED
DATE


• ADVANCED HIGH POWER PMAD CONCEPTS
APPLICABLE TO CANDIDATE PROGRAMS

• ADVANCED MOTOR CONTROL ENABLING
INDUCTION MOTOR EXPLOITATION FOR
LUNAR/MARS VEHICLES

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS EMA/POWER SYSTEMS

NOVEMBER 1989

EMA/POWER SYSTEMS



MAJOR OBJECTIVES:

REDUCE KSC TURN AROUND COSTS; INCREASE LAUNCH RATE:

- ELIMINATE EXCESSIVE MAN TESTS AND VERIFICATIONS
- ADD SELF CHECKOUT THROUGH BUILT-IN-TEST (BITE)
- ELIMINATE GROUND SUPPORT CARTS AND EQUIPMENT

IMPROVE REDUNDANCY, RELIABILITY AND DECREASE WEIGHT

- MATCH FLIGHT CONTROLS, POWER SOURCE, ACTUATORS
- USE DEMAND DRIVEN SYSTEM - SIMPLE IMPLEMENTATION

IMPROVE DISPATCH RELIABILITY

- AUTOMATED VEHICLE CHECKOUT
- LOW STANDBY POWER/ENERGY
- ELIMINATE HYDRAULIC SILTING

REDUCE STANDDOWN TIME

TECHNOLOGY TRANSFER TO CIVIL SECTOR

KEY CONTACTS:

G. SUNDBERG/LeRC
J. T. EDGE/JSC
C. CORNELIUS/MSFC
C. MCCLESKEY/KSC
B. LUM/RI-DOWNEY
S. TAQUI/GDSS
J. ANDERSON/BAC

FACILITIES:

MSFC ACTUATOR TEST FACILITY
ROCKWELL-DOWNEY
AIRFORCE WRDC-FLIGHT DYNAMICS

MAJOR MILESTONES (1990-1995):

ASSURED SHUTTLE AVAILABILITY (ASA)

1990 TECHNOLOGY, RISK, COST ASSESSMENT

ADVANCED LAUNCH SYSTEM

1990 1991 1992 1993 1994 1995 1996
▽ EMA DESIGNS ▽ COST/OPERABILITY ▽ IOC
COMPLETE DEMOS/

CIVIL AERO-FBL/PBW

VALID. STUDIES
▽ REVIEW TECH
1991 1992 1993 1994 1995 1996
DDT&E ▽ DEMO. ▽
FLIGHT

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS EMA/POWER SYSTEMS

NOVEMBER 1989

TECHNOLOGY ISSUES:

ASA: DDT&E FOR EMA RETROFIT BY INSPECT. DATE
END-TO-END EPS MANAGEMENT WITH FAULT LIMITING,
RECOVERY AND FAIL SAFE/FAIL OPERATIONAL
RECONFIGURATION
DISTRIBUTED vs. DEDICATED PMAD FOR REDUNDANCY,
RELIABILITY, OPERABILITY
BITE INTEGRATED INTO DESIGN AT MANUFACTURE

CANDIDATE PROGRAMS:

ADVANCED LAUNCH SYSTEM
ASSURED SHUTTLE AVAILABILITY
CIVIL AERO - POWER-BY-WIRE/FLY-BY-LIGHT
LUNAR/MARS INITIATIVE
AFWRDC - MORE ELECTRIC AIRPLANE - RETROFIT F-16
DAVID TAYLOR SHIP R&DC - ELECTRONIC NAVY

MAJOR ACCOMPLISHMENTS:


- PRELIMINARY ASA STUDIES COMPLETED
- KSC TURNAROUND FLOW ANALYSIS INITIATED
- TECHNOLOGY DEMOS/ASSESSMENT INITIATED
- DEMONSTRATED ELECTRIC ACTUATORS/
DRIVES TO 25 HP/DESIGNS TO 75 HP
- DEMONSTRATED MULTI-REDUNDANT, FAULT TOLERANT,
MICROPROCESSOR CONTROLLED SSF 20 kHz ELECTRICAL
POWER DISTRIBUTION SYSTEM

SIGNIFICANT MILESTONES:

1990 R&T BASE - COMPS, POWER SEMI'S
1991 1992 ADV. DEV. - SSF, ALS
1995 DDT&E
▽ LEV. 5 MATURITY △
VALIDATION NEAR COMPLETE: NSTS LUNAR/MARS
NEED DATE
• ADVANCED HIGH POWER PMAD CONCEPTS
APPLICABLE TO CANDIDATE PROGRAMS
• ADVANCED MOTOR CONTROL ENABLING
INDUCTION MOTOR EXPLOITATION

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS IN - FLIGHT CREW TRAINING

IN - FLIGHT CREW TRAINING



MAJOR OBJECTIVES:

- Provide more effective training environments
 - Video or animated task descriptions
 - Interactive training environments
- Computer generated, synthetic 3-D training scenarios
- Active computer control of hand input devices during scene playback for tactile training
- Provide accelerated in-flight training capability
- Refresh crew skills
- Practice unplanned contingency operations in a realistic environment
- Enhance crew preparedness
- Enhance crew safety

KEY CONTACTS:

C. Golt / JSC / FM8
P. Galicki / JSC / FM8
S. Murray / JSC / VG3

FACILITIES:

- Integrated Graphics Operations Analysis Laboratory (IGOAL)
 - RMS MIL Simulators: Shuttle, SSF
 - Proximity Operations Simulators: Shuttle, Shuttle-C, OMV, MMU
- JSC Systems Engineering Simulator

MAJOR MILESTONES (1990 - 1995)

- Test and evaluate faster machines with graphics capability
- Test simulation interaction with current hardware
- Develop non-realtime system with dynamics and collision detection on current hardware
- Test and evaluate stereo graphics hardware
- Investigate malfunction training concepts to establish viability

SPACE TRANSPORTATION AVIONICS TECHNOLOGY SYMPOSIUM FLIGHT ELEMENTS IN - FLIGHT CREW TRAINING

TECHNOLOGY ISSUES:

- Integration with existing flight systems
- Display and processor capabilities
- Low weight, volume and power requirements
- Provide for multiple trainees interacting within a realistic synthetic 3-D training scenario
- Allow local storage of "digital" tapes of training scenarios
- Facilities to upload from remote training library


CANDIDATE PROGRAMS:

- Space Station Freedom (SSF)
- Remote Manipulator Systems (SRMS, SSRMS)
- Flight Telerobotic Servicer (FTS)
- Orbital Maneuvering Vehicle (OMV) Piloting
- Shuttle Piloting and Landing
- Space Shuttle
- Remote Manipulator System
- Proximity Operations
- Approach and Landing

MAJOR ACCOMPLISHMENTS:

- Development of kinematic and dynamic simulators for generic remote manipulator systems
- Teleoperated systems technology investigations
 - Helmet mounted display
 - Stereoscopic vision systems
- Man-in-the-loop simulator development
- Manipulator Simulators: SRMS, SSRMS, FTS
- Spacecraft Simulators: Shuttle, OMV
- RMS Partial Task Trainer hosted on Silicon Graphics IRIS 4D/70GT
 - Kinematic simulation with near real-time performance using low fidelity models
 - RMS control panel and hand controllers

SIGNIFICANT MILESTONES:



- Identify appropriate training tasks
- Determine system requirements
- Define system architecture
- Develop and integrate system hardware
- Develop training software for prototype system
- Flight demonstration of training capabilities
- Operational trainer development
- Training plan implementation

TECHNOLOGY HOLES

- o Modular S/W & H/W
- o Mathematical formulation
- o Long life reliable operation on-demand (inert or operational)
- o Validation methodology & tools (H/W & S/W)
- o Expert systems validation
- o Up-front requirements definition
- o GPS use above 11 kn-m and during aerobraking
- o Antiquated technology replacement & down time (AAS)
- o Selection of communication approach for SSF prox. ops.
- o High data rate transmission to ground capability
- o Isolation/pointing/stabilization for optical communications
- o Total system integration & validation
- o Interconnect test beds across country
- o R&T and ADP funding inadequate to facilitate timely developments

CULTURAL CHANGES

- o All-weather launch capability and utilization
- o Launch with onboard defects/failures
- o Integration of flight systems and operations
- o Planning across multiple programs
- o Near-term user & technology insertion
- o Program selling minimizes use of technology
- o Trade information not data
- o Validation of only changes not total S/W package
- o Utilize commercial & other sectors for technology (eliminate NIH)
- o Paperless management
- o Reduction of standing ops armies

MAJOR DEMONSTRATIONS

- o Fault tolerant avionics architecture for ALS - 5/90
- o Fiber optics bus (lab demo) - 4 Gbits transmission
- o Power system autonomy - 1990
- o EMA (25-75 HP) demo for ALS - 1992
- o Next-generation orbiter experimental cockpit facility needed